

Nomenclatorial Index

Nominal Taxa of recent Indo-Pacific Conidae in alphabetical order (valid species in bold)

A

abbas Hwass, 1792
abbreviata Dautzenberg, 1937
abbreviatus Reeve, 1843
achatinus Gmelin, 1791
achatinus Hwass, 1792
achatinus (Röding, 1798)
aculeiformis Reeve, 1844
acuminatus Hwass, 1792
acutangulus Lamarck, 1810
acus Sowerby II, 1857
adami Wils, 1888
adamsonii Broderip, 1836
adenensis E. A. Smith, 1891
adonis Shikama, 1971
adustus Sowerby II, 1858
advertex (Garrard, 1961)
aegrotus Reeve, 1849
aequipunctata Dautzenberg, 1937
affinis Gmelin, 1791
agrestis Mörch, 1850
akabensis Sowerby III, 1887
alabaster Reeve, 1849
alabasteroides Shikama, 1963
alatus Fischer, 1807
albellus Röckel & Korn, 1990
albeolus (Röding, 1798)
albicans Sowerby II, 1857
albidus Schröter, 1803
albomaculatus Sowerby II, 1841
albonerosa Garrard, 1966
albospira E. A. Smith, 1880
 uncertain validity; Appendix 1, no. 8; Pl. 70, Figs. 21, 22
albus Shaw, 1915
albus Sowerby III, 1887
alconnelli da Motta, 1986
aldrovandi Dautzenberg, 1937
alternans Dautzenberg, 1937
alternatus Link, 1807
alveolus Sowerby I, 1833
amabilis Lamarck, 1810
amadis Gmelin, 1791
amadis Hwass, 1792
ambaroides Shikama, 1977
amboinensis Donovan, 1822
amethysteus Link, 1807
ammiralis Linné, 1758
amplus Röckel & Korn, 1992
anadema Tomlin, 1937

no. 302; Pl. 65, Figs. 7-9
ammiralis
 no. 21; Pl. 7, Figs. 15-17
 no. 59; Pl. 15, Figs. 1-8; Pl. 75, Fig. 28
achatinus
nomen dubium
 no. 267; Pl. 57, Figs. 1-4
locumtenens
 no. 252; Pl. 54, Figs. 15-22; Pl. 76, Fig. 61
musicus
trigonus
 no. 191; Pl. 43, Figs. 7-10
inscriptus
memiae
erythraeensis
angasi
furvus
arenatus
circumcisus
loroisi
quercinus
 no. 206; Pl. 46, Figs. 22-24
australis
nomen dubium
limpusi
terebra
furvus
nomen dubium
litoglyphus
quercinus
 no. 157; Pl. 35, Figs. 1-13
quercinus
furvus
martensi
leopardus
betulinus
eburneus
stramineus
pertusus
 no. 153; Pl. 34, Figs. 1-11; Pl. 81
amadis
magus
ammiralis
nomen dubium
 no. 153; Pl. 34, Figs. 1-11; Pl. 81
stramineus
splendidulus

anceps A. Adams, 1854
andamanensis E. A. Smith, 1878
anemone Lamarck, 1810
angasi Tryon, 1883
angioiorum Röckel & Moolenbeek, 1992
anglicus Gmelin, 1791
annularis (Röding, 1798)
aphrodite Petuch, 1979
aplustre Reeve, 1843
arabicus Lamarck, 1810
arachnoideus Gmelin, 1791
araneosus [Lightfoot], 1786
araneosus Hwass, 1792
aratus Kilburn, 1973
arbornatalis da Motta, 1978
archiepiscopus Hwass, 1792
architalassus [Lightfoot], 1786
archithalassus Hwass, 1792
ardisiaceus Kiener, 1845
arenatus Hwass, 1792
arenatus (Röding, 1798)
arenosus (Röding, 1798)
argillaceus Perry, 1811
aristophanes Sowerby II, 1857
armadillo Shikama, 1971
armatus E. A. Smith, 1891
arrowsmithensis Brazier, 1896
articulata Dautzenberg, 1937
articulatus Sowerby III, 1873
 no. 240; Pl. 52, Figs. 1-8; Pl. 76, Fig. 60
aroptus Sowerby I, 1833
asiaticus da Motta, 1985
asper Lamarck, 1810
assimilis A. Adams, 1854
atractus Tomlin, 1937
atramentosus Reeve, 1849
augur [Lightfoot], 1786
augur Hwass, 1792
aulicus Linné, 1758
 no. 291; Pl. 61, Figs. 1-6; Pl. 76, Fig. 62
aurantia Dautzenberg, 1937 (p. 36)
aurantia Dautzenberg, 1937 (p. 14-15)
auratinus da Motta, 1982
auratus Hwass, 1792
auratus (Röding, 1792)
aureus Hwass, 1792
aureus (Röding, 1798)
auricomus Hwass, 1792
aurifer (Röding, 1798)
auriger (Röding, 1798)
aurisiacus Linné, 1758
australis Holten, 1802
 no. 173; Pl. 39, Figs. 15-20
 no. 279; Pl. 59, Figs. 8-20
 no. 287; Pl. 60, Figs. 16-20
 no. 164; Pl. 37, Figs. 1-4
coccineus
varius
 no. 246; Pl. 52, Figs. 31-34
 no. 282; Pl. 59, Figs. 26-28
litteratus
araneosus
 no. 4; Pl. 2, Figs. 9-15
araneosus
orbignyi
amadis
textile
ammiralis
ammiralis
 no. 278; Pl. 59, Figs. 1-7
stercusmuscarum
arenatus
nomen dubium
coronatus
 no. 203; Pl. 46, Figs. 12-15
arenatus
distans
bullatus
 no. 229; Pl. 50, Figs. 19-21
 no. 208; Pl. 46, Figs. 29-31
sulcatus
magus
anemone
 not a cone
 no. 40; Pl. 10, Figs. 20-22
augur
 no. 292; Pl. 61, Figs. 7-9
aulicus
textile
 no. 306; Pl. 66, Figs. 1-7
pennaceus
 no. 308; Pl. 66, Figs. 11-14
aulicus
textile
 no. 68; Pl. 16, Figs. 28-32
 no. 202; Pl. 46, Figs. 1-11

<i>australis</i> Schröter, 1803		<i>mustelinus</i>	<i>bozzettii</i> Lauer, 1991	no. 107; Pl. 26, Figs. 6-9
<i>australis</i> Lamarck, 1810		<i>australis</i>	<i>brazieri</i> Sowerby II, 1881	<i>circumcisus</i>
<i>australis</i> Dautzenberg, 1937		<i>ammiralis</i>	<i>brettinghami</i> Coomans, Moolenbeek & Wils, 1982	<i>sulcatus</i>
<i>austroviola</i> Röckel & Korn, 1992	no. 219; Pl. 49, Figs. 15-17		<i>brevis</i> E. A. Smith, 1877	<i>characteristicus</i>
<i>axelrodi</i> Walls, 1978	no. 36; Pl. 9, Figs. 28-31	<i>thalassiarctus</i>	<i>broderipi</i> Reeve, 1843	no. 175; Pl. 39, Figs. 26-32
<i>azona</i> Wils et al., 1972			<i>brontodes</i> Shikama, 1979	<i>kinoshitai</i>
B			<i>bruuni</i> Powell, 1958	no. 66; Pl. 16, Figs. 16-21
<i>badius</i> Kiener, 1845			<i>bullatus</i> Linné, 1758	no. 192; Pl. 43, Figs. 11-16
<i>baeri</i> Röckel & Korn, 1992			<i>buxeus</i> (Röding, 1798)	<i>figulinus</i>
<i>baileyi</i> Röckel & da Motta, 1979			<i>buxeus</i> Link, 1807	<i>quercinus</i>
<i>balteatus</i> Sowerby I, 1833	no. 19; Pl. 6, Figs. 24-36		<i>buxeus</i> Reeve, 1843	<i>furvus</i>
<i>bandanus</i> Hwass, 1792	no. 2; Pl. 1, Figs. 10-23; Pl. 2, Figs. 1-4; Pl. 77			
<i>bandatus</i> Perry, 1811		<i>namocanus</i>		
<i>bangladeshianus</i> da Motta, 1985	no. 288; Pl. 60, Figs. 21-24			
<i>barbadensis</i> Hwass, 1792	no. 248; Pl. 53, Figs. 10-14		<i>cabritii</i> Bernardi, 1858	<i>exiguus</i>
<i>barthelemyi</i> Bernardi, 1861	no. 19; Pl. 6, Figs. 24-36		<i>caelatus</i> A. Adams, 1854	<i>marchionatus</i>
<i>barbara</i> Brazier, 1898			<i>caerulescens</i> Lamarck, 1810	<i>cinereus</i>
<i>batheon</i> Sturany, 1904			<i>caesius</i> (Röding, 1798)	<i>magus</i>
<i>bayani</i> Joussemae, 1872			<i>caffer</i> (Röding, 1798)	<i>coffeae</i>
<i>bazarutensis</i> Fernandes & Monteiro, 1982			<i>caillaudii</i> Kiener, 1845	no. 12; Pl. 4, Fig. 19-25
<i>behelokensis</i> Lauer, 1989			<i>calliginosus</i> Shikama, 1979	<i>kinoshitai</i>
<i>bengalensis</i> (Okutani, 1968)			<i>canaliculatus</i> Dillwyn, 1817	<i>malacanus</i>
<i>beniten</i> (Shikama & Oishi, 1977)			<i>candidus</i> Born, 1778	rejected and invalid
<i>berdulinus</i> Veillard, 1972			<i>canonicus</i> Hwass, 1792	no. 301; Pl. 65, Figs. 1-6; Pl. 76, Figs. 67
<i>bernardii</i> Kiener, 1845			<i>canonicus</i> (Röding, 1798)	<i>vexillum</i>
<i>betulinus</i> Linné, 1758			<i>capitanellus</i> Kuroda, 1935	<i>nomen nudum</i>
<i>bicinctus</i> Donovan, 1826			<i>capitanellus</i> Fulton, 1938	no. 99; Pl. 24, Figs. 24-26
<i>bicolor</i> Sowerby I, 1833 (March)			<i>capitaneus</i> Linné, 1758	no. 93; Pl. 23, Figs. 11-15; Pl. 75, Fig. 42; Pl. 80
<i>bicolor</i> Sowerby I, 1833 (post July)				
<i>bilirosus</i> (Röding, 1798)	no. 14; Pl. 5, Figs. 1-13; Pl. 74, Fig. 7		<i>capreolus</i> Röckel, 1985	no. 128; Pl. 29, Figs. 13-15; Pl. 70, Figs. 4, 5
<i>biraghii</i> (G. Raybaudi Massilia, 1992)	no. 8; Pl. 3, Figs. 18, 19, 21, 22; Pl. 73, Figs. 22-24			no. 45; Pl. 11, Figs. 24-26
<i>bitleri</i> da Motta, 1984			<i>carinatus</i> Swainson, 1822	<i>magus</i>
<i>bizona</i> Coomans, Moolenbeek & Wils, 1981			<i>carmeli</i> Tenison-Woods, 1877	<i>anemone</i>
<i>blainvillei</i> Kiener, 1845			<i>carota</i> (Röding, 1798)	<i>spectrum</i>
<i>blainvilli</i> Vignard, 1829			<i>carpenteri</i> Crosse, 1865	<i>litoglyphus</i>
<i>blanfordianus</i> Crosse, 1867	no. 167; Pl. 37, Figs. 24-29		<i>castaneofasciata</i> Dautzenberg, 1937	<i>amadis</i>
<i>blatteus</i> Shikama, 1979			<i>castrensis</i> Gould, 1842	<i>thalassiarctus</i>
<i>bocki</i> Sowerby III, 1881			<i>catus</i> Hwass, 1792	no. 62; Pl. 15, Figs. 18-28; Pl. 75, Fig. 30; Pl. 79
<i>boeticus</i> Reeve, 1843	no. 16; Pl. 6, Figs. 1-18; Pl. 70, Figs. 1-3		<i>cavailloni</i> Fenoux, 1942	<i>inscriptus</i>
<i>boholensis</i> Petuch, 1979			<i>cebuensis</i> Wils, 1990	<i>proximus</i>
<i>boivini</i> Kiener, 1845	no. 259; Pl. 55, Figs. 22-27		<i>cebugarus</i> da Motta & Martin, 1982	<i>australis</i>
	uncertain validity; Appendix 1, no. 13; Pl. 71, Figs. 1, 2		<i>cecilei</i> Kiener, 1845	<i>furvus</i>
<i>bondarevi</i> Röckel & G. Raybaudi Massilia, 1992	no. 143; Pl. 31, Figs. 23-25		<i>cecliae</i> Crosse, 1858	<i>capitaneus</i>
<i>borbonicus</i> H. Adams, 1868			<i>cereolus</i> (Röding, 1798)	<i>monile</i>
<i>borneensis</i> A. Adams & Reeve, 1848			<i>cerinus</i> Reeve, 1848	<i>boeticus</i>
	uncertain validity; Appendix 1, no. 11; Pl. 70, Fig. 26		<i>cernicus</i> Adams, 1869	<i>balteatus</i>
<i>borneensis</i> Sowerby II, 1866			<i>cernohorskyi</i> da Motta, 1983	<i>magus</i>
<i>boschi</i> Clover, 1972			<i>cervus</i> Lamarck, 1822	no. 196; Pl. 44, Figs. 1-4
<i>boschorum</i> Moolenbeek & Coomans, 1993	no. 316; Pl. 73, Figs. 27, 28		<i>cervus</i> Sowerby I, 1838	<i>cuvieri</i>
<i>boucheti</i> Richard, 1983	no. 237; Pl. 51, Figs. 21-24		<i>ceylanensis</i> Hwass, 1792	<i>musicus</i>
<i>bougei</i> Sowerby III, 1907			<i>chaldaeus</i> (Röding, 1798)	no. 29; Pl. 8, Figs. 31-33; Pl. 74, Fig. 11
			<i>characteristicus</i> Dillwyn, 1817	<i>characteristicus</i>
			<i>chemnitzi</i> Dillwyn, 1817	<i>rattus</i>
			<i>chenui</i> Crosse, 1857	<i>ferrugineus</i>
			<i>chiangi</i> (Azuma, 1972)	no. 238; Pl. 51, Figs. 25-27
			<i>chinensis</i> (Röding, 1798)	<i>nomen dubium</i>
			<i>chinoi</i> Shikama, 1970	<i>distans</i>

<i>dupontii</i> Kiener, 1845			
<i>dusaveli</i> (H. Adams, 1872)	not a cone		
<i>dux</i> Hwass, 1792	no. 195; Pl. 43, Figs. 24-28		
<i>dux</i> (Röding, 1798)		<i>circumcisus</i>	
		<i>maldivus</i>	
			<i>splendidulus</i>
			<i>ochroleucus</i>
			<i>textile</i>
			<i>nomen dubium</i>
			<i>taeniatus</i>
			<i>ferrugineus</i> Hwass, 1792
			no. 83; Pl. 21, Figs. 2-10; Pl. 75, Fig. 37; Pl. 80
			<i>festivus</i> Dillwyn, 1817
			<i>figulinus</i> Linné, 1758
			no. 53; Pl. 13, Figs. 12-16
			<i>filamentosus</i> Reeve, 1849
			<i>spectrum</i>
			<i>filicinctus</i> Schepman, 1913
			<i>voluminalis</i>
			<i>ilosus</i> (Röding, 1798)
			<i>maldivus</i>
			<i>fiscoederi</i> Röckel & da Motta, 1983
			no. 63; Pl. 15, Figs. 29-33
			<i>flavescens</i> Barros e Cunha, 1933
			<i>imperialis</i>
			<i>flavidus</i> Lamarck, 1810
			no. 140; Pl. 31, Figs. 7-10; Pl. 81
			<i>flavus</i> Röckel, 1985
			no. 78; Pl. 18, Figs. 22-27
			<i>flavocinctus</i> Link, 1807
			<i>nomen dubium</i>
			<i>fletcheri</i> Petuch & Mendenhall, 1972
			<i>pergrandis</i>
			<i>flindersi</i> Brazier, 1898
			<i>anemone</i>
			<i>floccatus</i> Sowerby II, 1841
			no. 193; Pl. 43, Figs. 17-20; Pl. 82
			<i>floridulus</i> Adams & Reeve, 1849
			no. 31; Pl. 9, Figs. 1-5; Pl. 74, Fig. 14
			<i>floridus</i> Sowerby II, 1858
			<i>striatus</i>
			<i>fortis</i> Renier, 1804
			rejected and invalid
			no. 184; Pl. 42, Figs. 8-10
			<i>fragilissimus</i> Petuch, 1979
			<i>magus</i>
			<i>frauensfeldi</i> Crosse, 1865
			<i>glaucus</i>
			<i>fraxineus</i> (Röding, 1798)
			<i>nobilis</i>
			<i>friedae</i> (da Motta, 1991)
			<i>frigidus</i> Reeve, 1848
			no. 141; Pl. 31, Figs. 11-15; Pl. 81
			<i>frostiana</i> Brazier, 1898
			<i>monachus</i>
			<i>fucatus</i> Reeve, 1849
			<i>magus</i>
			<i>fulgetrum</i> Sowerby I, 1834
			<i>miliaris</i>
			<i>fulgurans</i> Hwass, 1792
			<i>nomen dubium</i>
			no. 64; Pl. 16, Figs. 1-4
			<i>fulmen</i> Reeve, 1843
			<i>nomen dubium</i>
			<i>fulmineus</i> Gmelin, 1791
			<i>boeticus</i>
			<i>fultoni</i> Sowerby III, 1887
			<i>magus</i>
			<i>fulvobullatus</i> da Motta, 1982
			<i>quercinus</i>
			<i>fulvostriatus</i> Fenaux, 1942
			<i>nomen dubium</i>
			no. 64; Pl. 16, Figs. 1-4
			<i>fulvus</i> Schröter, 1803
			<i>nomen dubium</i>
			<i>fumigatus</i> Hwass, 1792
			no. 90; Pl. 22, Figs. 23-30; Pl. 34, Fig. 21
			<i>furvus</i> Reeve, 1843
			no. 81; Pl. 19, Figs. 13-31
			<i>imperialis</i>
			<i>fuscatus</i> Born, 1778
			<i>stramineus</i>
			<i>fuscomaculatus</i> E. A. Smith, 1877
			<i>catus</i>
			<i>fuscoolivaceus</i> Dautzenberg, 1937
			<i>glans</i>
			<i>fusiformis</i> Fischer, 1807
			<i>anemone</i>
			<i>fusiformis</i> Lamarck, 1810
			not a cone
			<i>fusiformis</i> Pease, 1861
			<i>pulicarius</i>
			<i>fustigatus</i> Hwass, 1792
			<i>terebra</i>
			<i>fusus</i> Gmelin, 1791
			G
			<i>gabelishi</i> da Motta & Ninomiya, 1982
			no. 189; Pl. 42, Figs. 26-28
			<i>gabrielii</i> Kiener, 1845
			<i>cinereus</i>
			<i>gabryae</i> L. Raybaudi Massilia, 1989
			not available - <i>australis</i>
			<i>australis</i>
			<i>ganensis</i> Delsaerdt, 1988
			<i>pennaceus</i>
			<i>gauguini</i> Richard & Salvat, 1973
			no. 199; Pl. 44, Figs. 13-17

F

fabula Sowerby I, 1833
fasciata Menke, 1828
fasciatus Schröter, 1803

<i>mesokatharos</i> Melvill, 1883			
<i>metcalfei</i> Angas, 1877	<i>arenatus</i>	<i>neovicarius</i> da Motta, 1982	<i>textile</i>
<i>metcalfii</i> Reeve, 1843	<i>angasi</i>	<i>neptunoides</i> E. A. Smith, 1880	<i>neptunus</i>
<i>meyeri</i> Walls, 1979	<i>magus</i>	<i>neptunus</i> Reeve, 1843	no. 72; Pl. 17, Figs. 13-19
<i>micarius</i> Hedley, 1912	<i>bilirosus</i>	<i>nereis</i> Petuch, 1979	<i>wakayamaensis</i>
<i>mighelsi</i> Kiener, 1845	not a cone	<i>nicobaricus</i> Hwass, 1792	<i>araneosus</i>
<i>miles</i> Linné, 1758	<i>musicus</i>	<i>nielsenae</i> Marsh, 1962	no. 285; Pl. 60, Figs. 1-11
<i>milesi</i> E.A. Smith, 1887	no. 95; Pl. 23, Figs. 21-24; Pl. 75, Fig. 41	<i>nigrescens</i> Sowerby II, 1859	<i>bandanus</i>
<i>miliaris</i> Hwass, 1792	no. 20; Pl. 7, Figs. 1-14; Pl. 74, Fig. 8	<i>nigrescens</i> Barros e Cunha, 1933	<i>imperialis</i>
<i>millepunctatus</i> Lamarck, 1822	<i>leopardus</i>	<i>nigromaculatus</i> Röckel & Moolenbeek, 1992	
<i>milneedwardsi</i> Jousseaume, 1894	no. 312; Pl. 69, Figs. 5-13	no. 166; Pl. 37, Figs. 20-23	
<i>minimus</i> Linné, 1758	rejected and invalid	<i>nigropunctatus</i> Sowerby II, 1858	<i>catus</i>
<i>minimus</i> Hwass, 1792	<i>nomen dubium</i>	<i>nigrostriatus</i> Kosuge, 1979	<i>lani</i>
<i>minnamurra</i> (Garrard, 1961)	no. 272; Pl. 58, Figs. 1-4	<i>nimbosus</i> Hwass, 1792	no. 70; Pl. 17, Figs. 4-8; Pl. 75, Fig. 31
<i>minutus</i> Schröter, 1803	<i>nomen dubium</i>	<i>nipponicus</i> da Motta, 1985	<i>spirofilis</i>
<i>mirmillo</i> Crosse, 1865	<i>ferrugineus</i>	<i>nitus</i> Dillwyn, 1817	<i>cinereus</i>
<i>mitratus</i> Hwass, 1792	no. 230; Pl. 50, Figs. 22-24; Pl. 76, Fig. 58	<i>nitus</i> Kiener, 1845	<i>colilus</i>
<i>modestus</i> Sowerby I, 1833	<i>fulmen</i>	<i>nitus</i> Sowerby II, 1858	<i>stramineus</i>
<i>moluccensis</i> Küster, 1838	no. 214; Pl. 48, Figs. 4-11; Pl. 82	<i>nitidissimus</i> Fenaux, 1942	<i>anemone</i>
<i>monachos</i> (Röding, 1798)	<i>lividus</i>	<i>nitidus</i> Reeve, 1843	<i>boeticus</i>
<i>monachus</i> Linné, 1758	no. 60; Pl. 15, Figs. 9-14	<i>nivalis</i> da Motta, 1985	<i>furvus</i>
<i>monile</i> Hwass, 1792	no. 150; Pl. 33, Figs. 21-24	<i>niveus</i> Gmelin, 1791	<i>nomen dubium</i>
<i>monstrosus</i> Küster, 1838	<i>araneosus</i>	<i>nobilis</i> Linné, 1758	no. 160; Pl. 36, Figs. 1-11
<i>monteiroi</i> Barros e Cunha, 1933	<i>maldivus</i>	<i>nocturnus</i> [Lightfoot], 1786	no. 3; Pl. 2, Figs. 5-8
<i>montillai</i> Röckel, 1985	no. 17; Pl. 6, Figs. 19, 20	<i>nocturnus</i> Hwass, 1792	<i>nocturnus</i>
<i>moreleti</i> Crosse, 1858	no. 11; Pl. 4, Figs. 14-18	<i>nodosus</i> Sowerby II, 1864	<i>victoriae</i>
<i>morrisoni</i> (G. Raybaudi Massilia, 1991)	<i>catus</i>	<i>noumeensis</i> Crosse, 1872	<i>marmoreus</i>
<i>moussonii</i> Crosse, 1865	<i>balteatus</i>	<i>novaehollandiae</i> A. Adams, 1854	<i>anemone</i>
<i>mozoi</i> Melvin & Melvin, 1980	<i>bandanus</i>	<i>novemstriatus</i> (Röding, 1798)	<i>nomen dubium</i>
<i>mucronatus</i> Reeve, 1843	no. 207; Pl. 46, Figs. 25-28; Pl. 76, Fig. 52; Pl. 82	<i>nubecula</i> Gmelin, 1791	<i>bullatus</i>
<i>mulderi</i> Fulton, 1936	<i>stramineus</i>	<i>nubilis</i> (Röding, 1798)	<i>catus</i>
<i>multicatenatus</i> Sowerby II, 1865	<i>locumtenens</i>	<i>nucleus</i> Reeve, 1848	no. 222; Pl. 49, Figs. 26-29
<i>multilineatus</i> Sowerby III, 1875	<i>furvus</i>	<i>nussatella</i> Linné, 1758	no. 228; Pl. 50, Figs. 15-18; Pl. 76, Fig. 57
<i>muriculatus</i> Sowerby I, 1833	no. 32; Pl. 9, Figs. 6-11; Pl. 74, Figs. 15, 16		
<i>muscosus</i> Lamarck, 1810	<i>characteristicus</i>		
<i>musicus</i> Hwass, 1792	no. 26; Pl. 8, Figs. 9-21; Pl. 74, Fig. 13; Pl. 78	O	
<i>musivum</i> Sowerby I, 1833	<i>legatus</i>	<i>obesus</i> Hwass, 1792	<i>zeylanicus</i>
<i>mustelinus</i> Hwass, 1792	no. 92; Pl. 23, Figs. 7-10; Pl. 75, Fig. 43	<i>oblitus</i> Reeve, 1849	<i>moreleti</i>
<i>mutabilis</i> Reeve, 1844	<i>hyaena</i>	<i>oblongus</i> Fenaux, 1942	<i>episcopatus</i>
N		<i>obscurus</i> Sowerby I, 1833	
<i>nadaensis</i> (Azuma & Toki, 1970)		no. 186; Pl. 42, Figs. 15-18; Pl. 76, Fig. 51; Pl. 81	
<i>nahoniaraensis</i> da Motta, 1986	<i>articulatus</i>	<i>occidentalis</i> Linné, 1758	<i>ammiralis</i>
<i>nakayasui</i> (Shikama & Habe, 1968)	<i>zebra</i>	<i>ochroleucus</i> Gmelin, 1791	no. 77; Pl. 18, Figs. 16-21
<i>namocanus</i> Hwass, 1792	<i>excelsus</i>	<i>oishi</i> (Shikama, 1977)	no. 79; Pl. 18, Figs. 28-32
<i>nanus</i> Sowerby I, 1833	no. 94; Pl. 23, Figs. 16-20	<i>okamotoi</i> Kuroda & Ito, 1961	<i>nomen nudum - lischkeanus</i>
<i>nasui</i> "Kosuge", 1971	<i>sponsalis</i>	<i>olea</i> Schröter, 1803	<i>nomen dubium</i>
<i>nebulosa</i> Swainson, 1840	<i>nomen nudum</i>	<i>omaicus</i> Hwass, 1792	<i>thomae</i>
<i>nebulosus</i> Gmelin, 1791	<i>tulipa</i>	<i>omanensis</i> Moolenbeek & Coomans, 1993	<i>biraghi</i>
<i>nebulosus</i> (Azuma, 1973)	<i>monachus</i>	<i>omaria</i> , Hwass, 1792	no. 297; Pl. 62, Figs. 14-25; Pl. 76, Fig. 64
<i>neglectus</i> A. Adams, 1854	<i>kiucumulus</i>	<i>optimus</i> Sowerby III, 1913	<i>exiguus</i>
<i>neglectus</i> Pease, 1860	<i>aplustre</i>	<i>orbignyi</i> Audouin, 1831	no. 261; Pl. 56, Figs. 1-8
<i>neobuxeus</i> da Motta, 1991	<i>flavidus</i>	<i>orbitatus</i> Reeve, 1843	<i>nomen dubium</i>
<i>neoroseus</i> da Motta, 1993	<i>furvus</i>	<i>ordinarius</i> Linné, 1758	<i>ammiralis</i>
<i>neotorquatus</i> da Motta, 1985	<i>bilirosus</i>	<i>oleanus</i> (Röding, 1798)	<i>litoglyphus</i>
	<i>teramachii</i>	<i>ornatus</i> (Röding, 1798)	<i>generalis</i>
		<i>osullivanii</i> (Iredale, 1931)	<i>textile</i>
		<i>otohimeae</i> Kuroda & Ito, 1961	no. 235; Pl. 51, Figs. 12-16

P

<i>pagodus</i> Kiener, 1845		<i>polongimarumai</i> Kosuge, 1980	no. 243; Pl. 52, Figs. 21-24
<i>palinurus</i> Hwass, 1792		<i>polyglotta</i> Weinkauff, 1874	<i>eburneus</i>
<i>pallescens</i> Sowerby I, 1833		<i>polygrammus</i> Tomlin, 1937	<i>furus</i>
<i>pallida</i> Dautzenberg, 1937		<i>polyzonias</i> Gmelin, 1791	<i>ammiralis</i>
<i>panniculus</i> Lamarck, 1810		<i>ponderosa</i> Dautzenberg, 1932	<i>textile</i>
<i>papalis</i> Weinkauff, 1875		<i>ponderosus</i> Sowerby II, 1858	<i>quercinus</i>
uncertain validity; Appendix 1, no. 19; Pl. 71, Figs. 11, 12		<i>pongo</i> (Shikama & Oishi, 1977)	<i>bullatus</i>
<i>papilliferus</i> Sowerby I, 1834	no. 281; Pl. 59, Figs. 23-25	<i>porcellaneus</i> Fischer, 1807	<i>nomen dubium</i>
<i>papuensis</i> Coomans & Moolenbeek, 1982	no. 136; Pl. 30, Figs. 19-22; Pl. 76, Fig. 45	<i>pontificalis</i> Lamarck, 1810	<i>dorreensis</i>
<i>paradiseus</i> Shikama, 1977		<i>potusmarumai</i> Kosuge, 1980	<i>pergrandis</i>
<i>pardalinus</i> Link, 1807		<i>poumensis</i> Prigent, 1985	<i>exiguus</i>
<i>pardus</i> (Röding, 1798)		<i>praecellens</i> A. Adams, 1854	no. 251; Pl. 54, Figs. 1-14
<i>parius</i> Reeve, 1843	no. 75; Pl. 18, Figs. 4-7; Pl. 75, Fig. 34; Pl. 79	<i>praeclarus</i> Fenaux, 1942	<i>planorbis</i>
<i>particolor</i> Perry, 1810		<i>praefectus</i> Hwass, 1792	<i>ochroleucus</i>
<i>parvatus</i> Walls, 1979		<i>praelatus</i> Hwass, 1792	<i>pennaceus</i>
<i>parvulus</i> Link, 1807		<i>praetextus</i> Reeve, 1848	<i>encaustus</i>
<i>parvus</i> (Röding, 1798)		<i>pretiosus</i> Nevill & Nevill, 1874	no. 171; Pl. 38, Figs. 26-29
<i>parvus</i> Gebauer, 1802		<i>prevosti</i> Sowerby III, 1881	<i>lienardi</i>
<i>parvus</i> Pease, 1868		<i>primula</i> Reeve, 1849	<i>lividus</i>
<i>pascuensis</i> Rehder, 1980		<i>primus</i> Röckel & Korn, 1990	no. 313; Pl. 69, Figs. 14-17
<i>patonganus</i> da Motta, 1982		<i>princeps</i> (Röding, 1798)	<i>ammiralis</i>
<i>paucimaculata</i> Dautzenberg, 1937		<i>princeps</i> Holten, 1802	<i>vexillum</i>
<i>paulucciae</i> Sowerby III, 1877		<i>prioris</i> (Kuroda, 1956)	<i>ichinoseana</i>
<i>pauperculus</i> Sowerby I, 1834	no. 18; Pl. 6, Figs. 21-23	<i>proarchithalassus</i> (Röding, 1798)	<i>marmoreus</i>
<i>pavimentum</i> (Röding, 1798)		<i>profundorum</i> (Kuroda, 1956)	no. 116; Pl. 27, Figs. 13-17
<i>pazii</i> Bernardi, 1857		<i>propinquus</i> E.A. Smith, 1877	<i>aulicus</i>
<i>peasei</i> Brazier, 1877		<i>proximus</i> Sowerby II, 1859	<i>balteatus</i>
<i>peledi</i> Wils et al., 1971		no. 215; Pl. 48, Figs. 12-18; Pl. 76, Fig. 53; Pl. 82	
<i>pennaceus</i> Born, 1778	no. 299; Pl. 63, Figs. 1-29; Pl. 64, Figs. 1-19, 23-28	<i>pseudocedonulli</i> Blainville, 1818	<i>ammiralis</i>
<i>peplum</i> Sowerby II, 1857		<i>pseudocoelinae</i> Delsaerdt, 1989	<i>coelinae</i>
<i>pergrandis</i> (Iredale, 1937)	no. 110; Pl. 26, Figs. 16-19	<i>pseudokimioi</i> da Motta & Martin, 1982	no. 245; Pl. 52, Figs. 28-30
<i>peronianus</i> (Iredale, 1931)		<i>pseudomarmoreus</i> Crosse 1875	<i>marmoreus</i>
<i>personatus</i> Hwass, 1792		<i>pseudorbignyi</i> Röckel & Lan, 1981	no. 262; Pl. 56, Figs. 9-12
<i>pertusus</i> Hwass, 1792	no. 233; Pl. 51, Figs. 1-6; Pl. 76, Fig. 59; Pl. 80	<i>pulchellus</i> (Röding, 1798)	<i>nomen dubium</i>
<i>petreus</i> (Röding, 1798)		<i>pulchellus</i> Swainson, 1822	<i>circumactus</i>
<i>petricosus</i> Azuma, 1961		<i>pulchellus</i> Sowerby I, 1834	<i>varius</i>
<i>phoebus</i> Jousseaume, 1894		<i>pulcher</i> A. Adams, 1854	<i>proximus</i>
<i>phuketensis</i> da Motta, 1878		<i>pulcherrimus</i> Brazier, 1894	<i>excelsus</i>
<i>pica</i> A. Adams & Reeve, 1849		<i>pulchrelineatus</i> Hopwood, 1921	<i>striatellus</i>
<i>pigmentatus</i> A. Adams & Reeve, 1848		<i>pulicarius</i> Hwass, 1792	
<i>pilkeyi</i> Petuch, 1974		no. 42; Pl. 11, Figs. 8-14; Pl. 74, Figs. 21, 22; Pl. 78	
<i>piperatus</i> Dillwyn, 1817		<i>pulverulentus</i> (Röding, 1798)	<i>augur</i>
<i>piperatus</i> Reeve, 1843		<i>punctatus</i> Gmelin, 1791	<i>augur</i>
<i>planaxis</i> Deshayes, 1863		<i>punctatus</i> Hwass, 1792	<i>bilirosus</i>
<i>planicostatus</i> Sowerby I, 1833		<i>puncticulatus</i> (Röding, 1798)	<i>pulicarius</i>
<i>planiliratus</i> Sowerby III, 1870		<i>puncturatus</i> Hwass, 1792	<i>sponsalis</i>
<i>planorbis</i> Born, 1778	no. 84; Pl. 21, Figs. 1, 11-21; Pl. 75, Fig. 38; Pl. 79	<i>puniceus</i> Schröter, 1803	<i>nomen dubium</i>
<i>plebejus</i> Link, 1807		<i>pupaeformis</i> Sowerby III, 1870	<i>mitratus</i>
<i>plinthis</i> Richard & Moolenbeek, 1988	no. 216; Pl. 48, Figs. 19-22	<i>pupillaris</i> da Motta, 1982	<i>episcopatus</i>
<i>plumbeus</i> Reeve, 1843		<i>purpuratus</i> (Röding, 1798)	<i>circumcisus</i>
<i>plurizonata</i> Dautzenberg, 1937		<i>purpuratus</i> Shikama, 1979	<i>shikamai</i>
<i>poehlianus</i> Sowerby III, 1887		<i>purpureus</i> (Röding, 1798)	<i>tulipa</i>
<i>politus</i> Weinkauff, 1875		<i>purus</i> Pease, 1863	<i>catus</i>
		<i>pusillus</i> Reeve, 1843	<i>parvatus</i>
		<i>pusio</i> Sowerby I, 1834	<i>melvilli</i>
		<i>pyramidalis</i> Lamarck, 1810	<i>textile</i>

Q

- quadratomaculatus* Sowerby II, 1866
quadratulus (Röding, 1798)
queenslandis da Motta, 1984
queketti E. A. Smith, 1906
quadratus (Röding, 1798)
quadratus Perry, 1811
quasimagnificus da Motta, 1982
quercinus [Lightfoot], 1786 no. 56; Pl. 14, Figs. 4-7; Pl. 75, Fig. 27
quercinus Hwass, 1792

R

- racemosus* Sowerby III, 1874
radiatus Gmelin, 1791 no. 74; Pl. 18, Figs. 1-3; Pl. 75, Fig. 33
radula (Röding, 1798) *varius*
ramalhoi Coomans, Moolenbeek & Wils, 1992 *elegans*
ranonganus da Motta, 1978 no. 314; Pl. 69, Figs. 18-20
ranunculus Hwass, 1792 *achatinus*
raoulensis Powell, 1958 no. 256; Pl. 55, Figs. 9-12
raphanus Hwass, 1792 *magus*
rarimaculatus Sowerby III, 1870 uncertain validity; Appendix 1, no. 1; Pl. 70, Figs. 8, 9
rattus Hwass, 1792 no. 98; Pl. 24, Figs. 18-23; Pl. 75, Fig. 44; Pl. 80
rawaiensis da Motta, 1978 no. 88; Pl. 22, Figs. 13-15
recluzianus Bernardi, 1853 no. 124; Pl. 28, Figs. 10-25
reductaspiralis Walls, 1979 *nielsenae*
reflectus Sowerby III, 1877 *catus*
reflexus Sowerby III, 1887 *catus*
regenfussi Dautzenberg, 1937 *generalis*
regius (Röding, 1798) *imperialis*
remo Brazier, 1898 *anemone*
renatae Cailliez, 1993 *nobilis*
reteauraeum Perry, 1811 *textile*
reticulatus Perry, 1811 *araneosus*
retifer Menke, 1829 no. 305; Pl. 65, Figs. 23-26
rhododendron Jay, 1839 *adamsonii*
richardi Fenaux, 1942 *fumigatus*
richardsae Korn & Röckel, 1992 *luteus*
richeri Richard & Moolenbeek, 1988 no. 194; Pl. 43, Figs. 21-23
rivularis Reeve, 1849 *boeticus*
robillardii Bernardi, 1858 *vexillum*
rogmartini da Motta, 1982 *otohimeae*
rolani Röckel, 1986 no. 211; Pl. 47, Figs. 17-19
rollandi Bernardi, 1860 *magus*
rosaceus Kiener, 1845 *iostostoma*
rosea Sowerby I, 1833 *eldredi*
roseorapum G. Raybaudi & da Motta, 1990 *recluzianus*
roseotinctus Sowerby II, 1866 *anemone*
roseus Lamarck, 1810 *bilirosus*
roseus Sowerby I, 1834 *auratinus*
rossiteri Brazier, 1870 *anemone*
rubescens Bonnet, 1864 *canonicus*
rubrapapillosa Dautzenberg, 1937 *catus*
rubropennatus da Motta, 1982 *pennaceus*
rufimaculosus Mac Pherson, 1959 no. 151; Pl. 33, Figs. 25, 26
rugosus Lauer, 1988 *telatus*

- ruppellii* Reeve, 1848 *boeticus*
rusticus Linné, 1758 rejected and invalid
rutilus Menke, 1843 no. 283; Pl. 59, Figs. 29-33
- S
- sabella* (Röding, 1798) *stercusmuscarum*
saecularis Melvill, 1898 no. 265; Pl. 56, Figs. 21-27
samiae da Motta, 1982 *sulcatus*
sandwichensis Walls, 1978 *suturatus*
sanguinolentus Quoy & Gaimard, 1834 no. 10; Pl. 4, Figs. 6-13; Pl. 74, Fig. 5; Pl. 77
sapphirostoma Weinkauff, 1874 *bilirosus*
sardus Link, 1807 *nomen dubium*
saudersi (Cotton, 1945) *anemone*
sazanka Shikama, 1970 no. 33; Pl. 9, Figs. 12-18
scaber Kiener, 1845 *miliaris*
scabriusculus Dillwyn, 1817 *coffeae*
sculptus Reeve, 1843 no. 176; Pl. 40, Figs. 1-3
schech Weinkauff, 1873 *locumtenens*
schepmani Fulton, 1936 *comatosa*
scopulicola (Okutani, 1972) no. 118; Pl. 27, Figs. 20, 21
scripta Dautzenberg, 1937 *betulinus*
scriptus Sowerby II, 1858 *textile*
sculletti Marsh, 1962 no. 152; Pl. 33, Figs. 27-29
sculpturatus Röckel & da Motta, 1985 no. 209; Pl. 47, Figs. 1-3
segravei Gatliff, 1891 *clarus*
semisulcatus Sowerby III, 1870 *capreolus*
semivelatus Sowerby III, 1882 *rattus*
senator Linné, 1758 rejected and invalid
sertacinctus Röckel, 1986 no. 177; Pl. 40, Figs. 4-13
seurati Fenaux, 1942 *nomen dubium*
seychellensis Nevill & Nevill, 1874 *litoglyphus*
sharmiensis Wils, 1986 *parvatus*
shikamai Coomans, Moolenbeek & Wils, 1985 no. 126; Pl. 29, Figs. 4-7
sibogae Schepman, 1913 *lizardensis*
sieboldii Reeve, 1848 no. 108; Pl. 26, Figs. 10-12
signifer Crosse, 1865 *magus*
sindon Reeve, 1843 *pennaceus*
sinensis Gmelin, 1791 not a cone
sinensis Sowerby II, 1841 *praecellens*
singletoni (Cotton, 1945) *anemone*
sirventi Fenaux, 1943 *textile*
skinneri da Motta, 1982 *nobilis*
smirna Bartsch & Rehder, 1943 no. 114; Pl. 27, Figs. 4-9
smithi Angas, 1877 *rutilus*
solandri Broderip & Sowerby I, 1830 *coccineus*
solidus Sowerby II, 1841 *retifer*
sophiae Brazier, 1875 *ferrugineus*
sowerbi Reeve, 1849 *praecellens*
sowerbyi Sowerby II, 1857 *praecellens*
soyomaruae (Okutani, 1964) *profundorum*
speciosus Sowerby II, 1857 *nomen dubium*
spectabilis A. Adams, 1854 *artoptus*
spectrum Linné, 1758 no. 181; Pl. 41, Figs. 1-31
spiceri Bartsch & Rehder, 1943 *coelinae*
spiculum Reeve, 1849 *generalis*

<i>tribunus</i> Crosse, 1865		<i>hyaena</i>	<i>victoriae</i> Reeve, 1843	no. 303; Pl. 65, Figs. 10-17
<i>trigonus</i> Reeve, 1848	no. 96; Pl. 24, Figs. 1-5		<i>vicweei</i> Old, 1973	no. 197; Pl. 44, Figs. 5-7
<i>tristis</i> Reeve, 1844			<i>vidua</i> Reeve, 1843	<i>bandanus</i>
	uncertain validity; Appendix 1, no. 16; Pl. 71, Figs. 8, 9		<i>vimineus</i> Reeve, 1849	no. 268; Pl. 57, Figs. 5-8
<i>tropicensis</i> Coomans & Filmer, 1985		<i>lischkeanusch</i>	<i>vincetus</i> A. Adams, 1854	<i>monachus</i>
<i>tuberculatus</i> Yokoyama, 1920		<i>tuberculosus</i>	<i>viola</i> Cernohorsky, 1977	no. 218; Pl. 49, Figs. 8-14; Pl. 82
<i>tuberculatus</i> Tomlin, 1937	no. 253; Pl. 54, Figs. 23-26		<i>violaceus</i> Gmelin, 1791	no. 227; Pl. 50, Figs. 13, 14
<i>tulipa</i> Linné, 1758	no. 185; Pl. 42, Figs. 11-14; Pl. 81	<i>suturatus</i>	<i>violaceus</i> Link, 1807	<i>glans</i>
<i>turbinatus</i> Sowerby II, 1858		<i>acutangulus</i>	<i>violaceus</i> Reeve, 1843	<i>viola</i>
<i>turriculatus</i> Sowerby II, 1866		<i>furus</i>	<i>violascens</i> Barros e Cunha, 1933	<i>figulinus</i>
<i>turritinus</i> da Motta, 1985		<i>zonatus</i>	<i>viperinus</i> Lauer, 1986	<i>omaria</i>
<i>turritus</i> (Röding, 1798)		<i>consors</i>	<i>virgineus</i> Link, 1807	<i>nomen dubium</i>
<i>turschi</i> da Motta, 1985			<i>virgineus</i> Wils et al., 1972	<i>capitaneus</i>
<i>tuticorinensis</i> Röckel & Korn, 1990	no. 50; Pl. 12, Figs. 27-29	<i>nielsenae</i>	<i>virgo</i> Linné, 1758	no. 138; Pl. 31, Figs. 1-3; Pl. 76, Fig. 46; Pl. 80
<i>typhon</i> Kilburn, 1975			<i>viridis</i> Sowerby II, 1857	<i>rattus</i>
U			<i>viridulus</i> Lamarck, 1810	<i>imperialis</i>
<i>undata</i> Dautzenberg, 1937		<i>arenatus</i>	<i>visseri</i> Delsaerdt, 1990	uncertain validity; Appendix 1, no. 3; Pl. 70, Figs. 12-14
<i>undatus</i> Kiener, 1845				
	uncertain validity; Appendix 1, no. 10; Pl. 70, Fig. 25		<i>vitifera</i> Perry, 1811	<i>nomen dubium</i>
<i>undulatus</i> [Lightfoot], 1786		<i>zeylanicus</i>	<i>vitulinus</i> Hwass, 1792	<i>planorbis</i>
<i>undulatus</i> Sowerby II, 1858		<i>sulcatus</i>	<i>vividus</i> Sowerby III, 1914	uncertain validity; Appendix 1, no. 4; Pl. 70, Fig. 15
<i>unicolor</i> Sowerby I, 1833		<i>nomen dubium</i>	<i>voluminalis</i> Reeve, 1843	no. 135; Pl. 30, Figs. 1-18
<i>unicolor</i> Sowerby I, 1834		<i>hyena</i>	<i>vulpinus</i> Hwass, 1792	<i>planorbis</i>
<i>urashimanus</i> Kuroda & Ito, 1961		<i>recluzianus</i>	<i>vulpinus</i> Schubert & Wagner, 1829	<i>planorbis</i>
<i>ustulatus</i> Reeve, 1843		<i>magus</i>		
V				
<i>varius</i> Linné, 1758	no. 13; Pl. 4, Figs. 26-28; Pl. 74, Fig. 6; Pl. 77	<i>pulicarius</i>	<i>wakayamaensis</i> (Kuroda, 1956)	no. 249; Pl. 53, Figs. 15-21
<i>vautieri</i> Kiener, 1845		<i>exiguus</i>	<i>wallangra</i> (Garrard, 1961)	no. 290; Pl. 60, Figs. 28-30
<i>vaysselianus</i> Crosse, 1872		<i>gubernator</i>	<i>waterhouseae</i> Brazier, 1896	<i>distans</i>
<i>veillardi</i> da Motta, 1990		<i>achatinus</i>	<i>whiteheadae</i> da Motta, 1985	<i>sugimotonis</i>
<i>ventricosus</i> (Röding, 1798)		<i>amadis</i>	<i>wilmeri</i> Sowerby III, 1883	uncertain validity; Appendix 1, no. 5; Pl. 70, Figs. 16, 17
<i>venustus</i> (Röding), 1798		<i>chaldaeus</i>	<i>wistaria</i> Shikama, 1970	<i>fulmen</i>
<i>vermiculatus</i> Lamarck, 1810		<i>spectrum</i>	<i>wittigi</i> Walls, 1977	no. 168; Pl. 37, Figs. 30-33
<i>verreauxii</i> Kiener, 1845		<i>textile</i>	<i>worcesteri</i> Brazier, 1891	uncertain validity; Appendix 1, no. 15; Pl. 71, Figs. 6, 7
<i>verruculum</i> Reeve, 1843		<i>timorenensis</i>		
<i>vespertinus</i> Sowerby I, 1825				
<i>vexillum</i> Gmelin, 1791	no. 91; Pl. 23, Figs. 1-6; Pl. 75, Fig. 40; Pl. 80	<i>locumtenensis</i>	Y/Z	
<i>viaderi</i> Fenaux, 1942		<i>ammiralis</i>	<i>yoshioi</i> (Azuma, 1973)	<i>sazanka</i>
<i>vicarius</i> Linné, 1767		<i>locumtenensis</i>	<i>zapatosensis</i> Röckel, 1987	no. 179; Pl. 40, Figs. 22-25
<i>vicarius</i> (Röding, 1798)		<i>ammiralis</i>	<i>zebra</i> Lamarck, 1810	no. 180; Pl. 40, Figs. 26-33
<i>vicarius</i> Lamarck, 1810		<i>sugimotonis</i>	<i>zeylanicus</i> Gmelin, 1791	no. 44; Pl. 11, Figs. 19-23
<i>vicdani</i> Lan, 1978		<i>sulcocastaneus</i>	<i>zonatus</i> Hwass, 1792	no. 7; Pl. 3, Figs. 14-17
<i>vicdani</i> Kosuge, 1980		<i>nobilis</i>	<i>zukiae</i> Shikama, 1979	<i>mustelinus</i>
<i>victor</i> Broderip, 1842			<i>zulu</i> Petuch, 1979	<i>betulinus</i>