

## Section U unctus to ultriculus

Copyright © 2011.R Filmer Conditions of use.

The content of this website is provided for personal and scientific use and may be downloaded for this purpose. It may not be used in whole or part for any commercial activity and publication of any of the content on the internet is limited to the Cone Collector website (<a href="www.TheConeCollector.com">www.TheConeCollector.com</a>). Authors wishing to publish any of the pictures may do so on a limited basis but should inform M Filmer so that the original owner of the rights to the picture can be acknowledged. (mike@mfilmer.fsnet.co.uk)

Version 1.0 October 2011.

unctus "Solander's MSS" Dillwyn, 1817.

Published in Desc. Cat. Recent Shells 1: p. 361, no. 14, not figured.

Specimen named whereabouts unknown, cited figure in Martini, 1773, pl. 53, fig. 587, (fig. 35  $\times$  17 mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), cited as a synonym of *C. radiatus* Gmelin, 1791.

Taxonomic status, none, (a specimen of *C. radiatus* Gmelin, 1791).



Figure cited in Martini.

undata (variety arenatus Hwass) Dautzenberg, 1937.

Published in Mem. Mus. r. Hist. nat. Belg. 2, (18): p. 31, pl. 1, fig. 3.

Holotype in IRSN,  $(39.2 \times 23.4 \text{ mm})$ .

Type locality Amboina, (Ambon, Indonesia), (Köller).

Nomenclatural status, an available name, an invalid name, a homonym of *C. undatus* Kiener, 1845 (1847).

Taxonomic status, a synonym (form) of *C. arenatus* Hwass, 1792.





undatus Kiener, 1845 (1847).

Published in Coq. Viv. 2: pl. 94, fig. 1, (1848 (1849), Coq. Viv. 2: p. 210, no. 179).

Holotype was in collection J.P.B. Delessert, present whereabouts unknown,  $(32 \times ? mm)$ ,  $(fig. 32 \times 16 mm)$ .

Type locality Indian Ocean, [erroneous].

Nomenclatural status, an available name.

Taxonomic status, a synonym of *C. lorenzianus* Dillwyn, 1817, (a subspecies of *C. spurius* Gmelin, 1791).



Figure in Coq. Viv.

<u>undulatus</u> "S" Lightfoot, 1786.

Published in Cat. Portland Mus: p. 139, no. 3096 & p. 180, no. 3866, not figured.

Lectotype representative (Kohn) figure in Gualtieri, 1742, pl. 25, fig. I. (fig.  $67 \times 35 \text{ mm}$ ).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, a synonym of C. textile Linnaeus, 1758.



undulatus Sowerby II, 1858.

Published in Thes. Conch. 3 (*Conus*), pt. 18: p. 34, no. 294, pl. 4 (190), fig. 63.

Holotype in NHMUK,  $(43 \times 21 \text{ mm})$ .

Type locality not mentioned, designated (C, M & W) Marinduque, Philippines.

Nomenclatural status, an available name, an invalid name, a homonym of *C. undulatus* Lightfoot, 1786, renamed *C. brettinghami* Coomans, Moolenbeek & Wils, 1982.





unicolor Sowerby I & II, 1833.

Published in Conch. Ill. (Conus): pl. 28, fig. 20.

Type series whereabouts unknown, (fig. 33 x 15 mm).

Type locality not known.

Nomenclatural status, an available name.

Taxonomic status, doubtful (nomen dubium), lost type, no locality or description and an unclear figure, probably a senior synonym of *C. sanguinolentus* Quoy & Gaimard, 1834, if so *C. unicolor* should be forgotten (nomen oblitum) and *C. sanguinolentus* should take precedence (nomen protectum), see Section 1 C (5).



Figure in Conch. Ill.

unicolor Sowerby I & II, 1834.

Published in Conch. Ill. (Conus): pl. 54, fig. 59.

Lectotype (Kohn) in NHMUK,  $(45.5 \times 23.0 \text{ mm})$ .

Type locality not known, designated (Röckel & Korn) Solomon Islands.

Nomenclatural status, an available name, an invalid name, a homonym of *C. unicolor* Sowerby, 1833, renamed *C. concolor* Sowerby, 1841.

Taxonomical status, a synonym of *C. concolor* Sowerby, 1841 (a subspecies of C. hyaena Hwass, 1792.





unifasciatus Kiener, 1845 (1850).

Published in Coq. Viv. 2: pl. 110, fig. 4, (1850, Coq. Viv. 2: Sup. p. 361, no. 323).

Holotype in MNHN, (22 x 12 mm, orig. desc. 24 x ? mm).

Type locality not mentioned.

Nomenclatural status, an available name.

Taxonomic status, a valid species.





(Rhizoconus) urashimanus Kuroda & Ito, 1961.

Published in Venus, Kyoto, 21 (3): p. 249, in Japanese, p. 259, in English, pl. 17, figs 13 & 14.

Holotype was in collection A. Teramachi, present whereabouts unknown, (70 x 37.5 mm), paratype no. 1 is in KIMN, (47.8 x 26.4 mm),

Type locality Nada, Gobo, Kii Peninsula, Japan.

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of *C. gloriakiiensis* Kuroda & Ito, 1961 (p. 248), (a synonym of *C. recluzianus* Bernardi, 1853).





Paratype in KIMN.

ustickei Miller in Nowell-Usticke, 1959.

Published in Check List Marine Shells of St. Croix, U.S. Virgin Is., Random Annotations: p. 80, pl. 1, fig. 14.

Lectotype (Nowell-Usticke 1971) in AMNH, (27 x 12.5 mm)

Type locality North of Fredericksted, St. Croix, U.S. Virgin Is, (Leeward Islands).

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of C. attenuatus Reeve, 1844.





ustulatus Lightfoot, 1786.

Published in Cat. Portland Mus: p. 100, no. 2198, not figured. Specimen(s) named sold at auction, present whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name (nomen nudum), named but not described or figured.

Taxonomic status, none.

## <u>ustulatus</u> Reeve, 1844.

Published in Conch. Icon. 1 (*Conus*): pl. 44, sp. 239, (published Feb), (Proc. zool. Soc. Lond. pt. 11, no. 130: p. 176, not figured, published Jun).

Holotype in NHMUK,  $(42 \times 21 \text{ mm})$ .

Type locality New Holland, (Australia).

Nomenclatural status, an available name.

Taxonomic status, a synonym (form) of C. magus Linnaeus, 1758.





utriculus "Schumacher 1817" Richard, 1990.

Published in Revision des Conidae: p. 191, not figured.

Specimen named whereabouts unknown, (? mm).

Locality not mentioned.

Nomenclatural status, an unavailable name, (nomen nudum), named but not described or figured, (Schumacher p. 203, introduced the name as a genus and he refers to "UTRICULUS geographus, Conus geographus Lin. Martin 2, p. 354, tab. 64, fig. 717").

Taxonomic status, none, (a specimen of *C. geographus* Linnaeus, 1758).